

Adding Geolocation Data to a Data Set

Last Modified on 09/20/2023 4:03 pm EDT

Overview

Administrators can add Geolocation data to a Data Set to create a Map Chart using the Dashboard Builder.

User Account Requirements

The user account you use to log into Resolver must have Administrator permission to use the Dashboard Data Set Builder.

Related Information/Setup

Please refer to the Creating a New Dashboard Data Set article for more information on adding a Data Set to the system.

Please refer to the Adding a Map to a Dashboard article for more information on creating a Map Chart Dashboard.

Navigation

1. From the *Home* screen, click on the **System** icon.



System Icon

2. From the *Admin Overview* screen, click on the **Dashboard Data Sets** tile under the **Advanced Reporting** section.



| Devel and new 11 | | | ⊕ (Q | | | | 2000 | \$? | Ω |
|------------------|--------------|-----------------------|------------------|--------------------|------------------|-------------------------|----------|---------|---|
| Admin Overvie | w ~ | | | | | | | | |
| | Data Model | | | ١ | /iews | | | | |
| | Object Types | Object Type Groups | | Configurable Forms | 3 | Data Visualizations | | | |
| | Fields | Assessments | Data Definitions | | Advanced Reporti | ng Dashboard Builder | <u>×</u> | | |

Dashboard Data Sets Tile

Adding Geolocation Data to a Data Set

1. From the *Admin: Dashboard Data Sets* screen, click on a **Data Set**.

| | <u>ې</u> | ? | Ω | | | | | |
|-----------------------------------|-------------------------------|-----------------------|---------------------|---------------------|-------------------|------------|----------|---|
| Views | ~ | Forms | Data Visualizations | Dashboard Data Sets | Dashboard Builder | | | |
| Admin: Dasł | nboard | Data S | ets | | | + CREATE I | DATA SET | r |
| Q Search 1 Data Sets 1/50 Pu | iblished Data S dent Manag | ets 0 Unpu ement | blished Data Sets 🔞 | | | 🔷 PUBI | LISHED | |
| | | | | | | | | |

Data Set

From the *Admin: Edit Data Sets* screen, scroll to the tab section and click the *Properties* tab.

| | | \oplus \bigcirc | Search | | | | | 000 | (¢) | ? | Ω |
|--|-----------------------------|---------------------|---------------|----------|----------------|--------|----------------|-----------|------------|-------|----|
| Views | ~ | Forms | Data Visualiz | zations | Dashboard Dat | a Sets | Dashboard | Builder | | | |
| Assessment Type | Fields (0/100) | Form | nulas (0/100) | Prope | rties (12/100) | Data | Transformatior | n Roles | | | |
| | | | | | | - | [| + ADD ASS | ESSMENT TY | PE(S) | |
| All of the assessment IT Risk Assessm | types that are asso nent | ociated with | Incident Mana | igement. | | | | | | S | ż |
| IT Compliance A | ssessment | | | | | | | | | \$3 | \$ |
| Internal Controls | s Assessment | | | | | | | | | S | \$ |
| | | | | | | | | | • | V DON | ΙE |

Properties Tab



3. Click the + Add Property(ies) button.

| wis Forms Data Visualizations Dashboard Data Sets Dashboard Builder Assessment Type Fields (0/100) Formulas (0/100) Properties (12/100) Data Transformation Roles I of the Properties that are associated with Incident Management. I of the Properties that are associated with Incident Management. Object ID Object Name Workflow State | | | ⊕ (Q | Search | | | 000 | \$? £ |
|---|-----------------------|---------------------|---------------|--------------------|---------------------|-------------------|-----------|---------------|
| Assessment Type Fields (0/100) Formulas (0/100) Properties (12/100) Data Transformation Roles It of the Properties that are associated with Incident Management. | ws | ~ | Forms | Data Visualization | s Dashboard Dat | a Sets Dashboar | d Builder | |
| Il of the Properties that are associated with Incident Management. | Assessment Type | Fields (0/100) | Formu | las (0/100) | Properties (12/100) | Data Transformati | on Roles | |
| Il of the Properties that are associated with Incident Management. | | | | | | | + ADD | PROPERTY(IES) |
| Incident Object ID Object Name Workflow State | of the Properties th | at are associated y | with Incident | Management | | | | |
| Incident Object ID Object Name Workflow State | for the Properties th | at are associated v | with incluent | Management | | | | |
| Incident Object ID Object Name Workflow State | | | | | | | | |
| Object ID S Object Name S Workflow State S | Incident | | | | | | | |
| Object Name S Workflow State S | Object ID | | | | | | | S |
| Workflow State | Object Name | | | | | | | \$5 |
| | Workflow State | 9 | | | | | | \$5 |
| | Workflow State | 9 | | | | | | \$3 |

Add Property(ies) Button

4. From the *Add Properties* pop-up, enter Geolocation in the Search field to narrow down the Properties list.

| | | (Q Search | | | | | 000 | ŝ | ? | Ω | |
|-------|--------------------------|-----------|----------------|------------------------|---------------------|-------------------|-----|---|---|---|-----|
| Views | | ~ | Forms | Data Visualizations | Dashboard Data Sets | Dashboard Builder | | | | | |
| | Assessment Type | Fie | lds (0/100) | Formulas (0/100) | ADD PROPERTIE | ES | | | | × | |
| | | | | | PICK PROPERTIES TO | ADD | | | | | Ì |
| | All of the Properties t | nat are | associated wit | h Incident Management. | Q Geolocation | | | | ٥ | | |
| | | | | | + ADD SELECTE | D (0) | | | | | |
| | Incident | | | | | | | | | | J |
| | Object ID Object Name | | | | | | | | | | |
| | | | | | Incident | | | | | | |
| | Workflow State | | | | Geolocation | | | | | | |
| | | | | | | | | | | | * * |

Search Field

5. Click on the **Geolocation** link under the desired Object Type.



| | | | | ⊕ Q Search | | | 000 | \$? | Ω | - |
|-------|-------------------------|---------|---------------|-------------------------|---------------------|-------------------|-----|---------|---|---|
| Views | | ~ | Forms | Data Visualizations | Dashboard Data Sets | Dashboard Builder | | | | |
| | Assessment Type | Fie | elds (0/100) | Formulas (0/100) | ADD PROPERTII | ES | | | × | |
| | | | | | PICK PROPERTIES TO | ADD | | | l | Î |
| | All of the Properties t | hat are | associated wi | th Incident Management. | Q Geolocation | | | 0 | | |
| | | | | | + ADD SELECTE | D (0) | | | | |
| | Incident | | | | | | | | | I |
| | Object ID | | | | | | | _ | | Ū |
| | Object Name | | | | | | | | | |
| | Workflow Sta | te | | | Geolocation | | | | | |
| | | | | | | | | | | |

Geolocation Link

6. Click the **+ Add Selected** button to add the selected Geolocation Properties to the Data Set.

| | | | | ⊕ Q Search | | | 000 | ŝ | ? | Ω | * |
|-------|--|---------|---------------|---------------------------------|---------------------|-------------------|-----|---|-----------|---|---|
| Views | | ~ | Forms | Data Visualizations | Dashboard Data Sets | Dashboard Builder | | | | | |
| | Assessment Type | Fie | elds (0/100) | Formulas (0/100) | ADD PROPERTIE | ES | | | | × | |
| | | | | | PICK PROPERTIES TO | ADD | | | | Î | |
| | All of the Properties t | hat are | associated wi | th Incident Management . | Q Geolocation | | | | 0 | | |
| | | | | | + ADD SELECTE | D (1) | | | | | |
| | Incident | | | | | | | | | | |
| | Object ID Object Name Workflow State | | | | | | | | | | Ĭ |
| | | | | | Incident | | | | \square | | |
| | | | | | ✓ Geolocati | on | | | | | |
| | | | | | | | | | | | * |

+ Add Selected Button