


Supported Markdown Styles

Last Modified on 10/01/2021 5:26 pm EDT

STYLE	DESCRIPTION	NOTES	EXAMPLE
#	Creates an H1 header style.	Must include a space between the hashtag and text (e.g. # Example). To terminate the header formatting, insert a new line in the text by pressing Enter on your keyboard.	Example
##	Creates an H2 header style.	Must include a space between the hashtags and text (e.g. ## Example). To terminate the header formatting, insert a new line in the text by pressing Enter on your keyboard.	Example
###	Creates an H3 header style.	Must include a space between the hashtags and text (e.g. ### Example). To terminate the header formatting, insert a new line in the text by pressing Enter on your keyboard.	Example
####	Creates an H4 header style.	Must include a space between the hashtags and text (e.g. #### Example). To terminate the header formatting, insert a new line in the text by pressing Enter on your keyboard.	Example
* *	Italicizes the text.	There can be no spaces between the asterisks and text (e.g. *Example*).	<i>Example</i>
** **	Bolds the text.	There can be no spaces between the asterisks and text (e.g. **Example**).	Example
~~ ~~	Strikes through the text.	There can be no spaces between the tildes and text (e.g. ~~Example~~).	Example

STYLE	DESCRIPTION	NOTES	EXAMPLE
- - -	Creates an unordered list.	There can be no spaces between the dash and the list items (e.g: -Example 1 -Example 2 -Example 3). You may continue the unordered list past three items, if needed.	<ul style="list-style-type: none"> • Example 1 • Example 2 • Example 3
1. 2. 3.	Creates an ordered list.	Spaces between the numbers and text are permitted (e.g: 1. Example 1 2. Example 2 3. Example 3). You may continue the ordered list past three items, if needed.	<ol style="list-style-type: none"> 1. Example 2. Example 3. Example
[Text](http://www.url.com)	Creates an inline link with text.	The “http://” or https:// prefix must be included (e.g. [Example Text]http://www.example.com)).	Example Text
[Text](http://www.url.com “alt text”)	Creates an inline link with text and alt text.	The “http://” or https:// prefix must be included (e.g. [Example Text] (http://www.example.com “Example Alt Text”)).	Example Text
![alt text] (http://www.imageurl.com)	Inserts an inline image with alt text.	Alt text and the “http://” or “https://” prefix must be included (e.g. ![Resolver Logo](http://www.resolver.com/logo.png)). The image will appear in its original size. See the Image Upload & Custom Logos article for information on creating image file URLs.	

<i>STYLE</i>	<i>DESCRIPTION</i>	<i>NOTES</i>	<i>EXAMPLE</i>				
<code>::Left Aligned::</code>	Aligns the text to the left of the cell.	There can be no spaces between the "::" and the text.	Example Text				
<code>::Center Aligned::</code>	Aligns the text to the center of the cell.	There can be no spaces between the "::" and the text.	Example Text				
<code>::Right Aligned::</code>	Aligns the text to the right of the cell.	There can be no spaces between the "::" and the text.	Example Text				
<code>::Full Justified::</code>	Aligns text to the left and right margins of the cell.	There can be no spaces between the "::" and the text.	Example Text Example Text Example Text Example Text Example Text				
<code> Header Header ----- ----- Row Row </code>	Creates a table	There must be at least three line dashes between the header and row text. The outer pipes () are optional, and the text does not need to line up.	<table border="1"> <thead> <tr> <th>Header</th> <th>Header</th> </tr> </thead> <tbody> <tr> <td>Row</td> <td>Row</td> </tr> </tbody> </table>	Header	Header	Row	Row
Header	Header						
Row	Row						