

Configure & Run the LDAP Sync Tool

Last Modified on 12/23/2024 2:11 pm EST

Before the LDAP Sync tool can be used, it must be properly configured. Follow the steps below to install and configure the sync tool.



At this time, this tool should be configured with the assistance of [Resolver Support](#).

To configure and run the LDAP Sync tool:

1. [Generate an API key](#) for the desired org. Only one org can be synced at a time.
2. Download and [unzip](#) the **LDAP_to_Core_User_Sync.zip** file provided by Resolver.
3. From the extracted folder, open the **Resolver.Core.Mapping.UserImport.LDAP.UI.exe** file to launch the tool. Ensure the file name contains **UI**.

The screenshot displays the Resolver Core LDAP Sync tool interface. It is divided into three main sections: Core Connection, LDAP Connection, and LDAP Queries. The Core Connection section includes fields for Core URL and API Key, with a Test Core Connection button. The LDAP Connection section includes fields for LDAP Host, Base Dn, Port (pre-filled with 389), User Id, Password, and Domain, along with an Authentication Mode section (radio buttons for User/Password, Windows, and Anonymous) and a Test LDAP Connection button. The LDAP Queries section is split into two columns. The left column is for 'Query LDAP for a list of the groups that can be mapped to Core' and includes fields for Search Dn (OU=Groups), Filter ((objectClass=group)), Name attribute (name), and Members (member), with a Test Group Query button. The right column is for 'Query LDAP for a list of the users in the selected group' and includes fields for Search Dn (CN=Users), Filter ((objectClass=person)), Name attribute (name), and Membership (memberOf), with a Test User Query button. Below each query section is a table with columns for Name and Members/Dn.

The Resolver Core LDAP Sync tool as it appears upon initial launch.

4. Enter the Core environment URL in the **Core URL** field (e.g. <https://example.resolver.com>). The URL must include the **https://** prefix.
5. Enter the org's API key in the **API Key** field.
6. Click **Test Core Connection** to confirm the connection is valid.
7. In the **LDAP Connection** section, enter the following information:

- a. **LDAP Host:** The DNS directory name of the LDAP server. This can be an IP address or fully qualified name (e.g. test.resolver.com).
- b. **Base Dn:** The base path suffixed to all LDAP queries. See the [LDAP DNs and RDNs](#) article on the LDAP website, or contact your LDAP administrator for more information.
- c. **Port:** The port number the LDAP server is listening on, which is **389** by default.

The LDAP Connection section.

8. Select one of the following **Authentication Mode** options:
 - **User/Password:** If this option is selected, enter the current user's username and password in the **User Id** and **Password** fields. If required, enter the name of the server domain hosting the Core environment in the **Domain** field.
 - **Windows:** If this option is selected, enter the name of the server domain hosting the Core environment in the **Domain** field.
 - **Confidential:** If this option is selected and the directory is configured to allow confidential access, a username, password, and/or domain name is not required.
9. Click **Test LDAP Connection** to validate if the information entered in the **LDAP Connection** section is correct.
10. In the **LDAP Queries** section, enter parameters into the following fields to define which users and/or groups will be synced into Core:
 - **Search Dn:** The path on the LDAP server that stores the details on the groups or users when combined with the **Base Dn** (in step 7 b. above). By default, these fields are populated with **OU=Groups** for group queries and **CN=Users** for user queries.
 - **Filter:** Limits the query to sub-directories that match the string. User filters are combined with selected group filters to further limit returned users to members of the selected group. By default, these fields are populated with **(objectClass=group)** for group queries and **(objectClass=person)** for user queries.
 - **Name attribute:** The attribute name on the group or user LDAP object, which is usually **name**. For both group and user queries, these fields are auto-populated with **name**.
 - **Members/Membership:** An additional attribute filter based on user or group membership. By default, these fields are populated with **Member** for group queries and **memberOf** for user queries.

LDAP Queries

Query LDAP for a list of the groups that can be mapped to Core

Search Dn:

Filter:

Name attribute:

Members:

Name	Members	Dn

Query LDAP for a list of the users in the selected group

Search Dn:

Filter:

Name attribute:

Membership:

Name	Dn

The LDAP Queries section, displaying the default values.



See the [Glossary of LDAP Terms](#), [LDAP DNs and RDNs](#), and [LDAP Filters](#) articles on the LDAP website for more information on the values required in these fields.

11. Click **Test Group Query** to display the group results, then select a group. Note that user queries will not be displayed unless a group is selected.
12. Click **Test User Query** to display the results.



Clicking **Test Group Query** or **Test User Query** displays read-only results and does not sync any data into Core.

13. Click **Save Configuration** to save the values entered in the fields, which will be displayed the next time the tool is run.
14. Click the **Sync** button to manually push the LDAP data into Core.

LDAP Connection

LDAP Host: User Id:

Base Dn: Password:

Port:

Authentication Mode:
 User/Password
 Windows
 Anonymous

LDAP Queries

Query LDAP for a list of the groups that can be mapped to Core

Search Dn:

Filter:

Name attribute:

Members:

Name	Members	Dn
Audit Soak Group	3	CN=Audit Soak ...
Management Soak Group	8	CN=Manageme...
Admin Soak Group	15	CN=Admin. Soa...
Development Soak Group	16	CN=Developme...

Sync Complete

i
 Completed the ldap sync of all groups.
 2 groups identified for synchronisation.
 1 groups skipped as they are already up to date.
 1 groups synchronised to ldap.
 14 users added to groups.
 0 users removed from groups.
 0 users already present in groups.
 14 new users created.
 1 user inserts failed.
 0 users disabled.
 0 users enabled.
 0 user enablement failures.
 0 disabled users not added to groups.

Name	Members	Dn
...
...
...
...

Name	Dn
...	...
...	...
...	...
...	...

Processing group #2 of 2

A successfully completed sync.