

objectTypes

Last Modified on 02/26/2021 5:12 pm EST

Retrieve object type details, as well as create, modify, or delete object types.

GET /object/objectType

Retrieves a list of all the object types in the org, along with their external reference IDs and internal IDs.

Curl Request

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: bearer YOUR_API_KEY' 'https://YOUR_ENVIRONME'
```

Parameters

Name	Parameter Type	Data Type	Description	Required
id	query	string	The internal ID of the specific object type you want retrieve, if any. Leaving this field blank will retrieve all object types in the org.	No

Example Response Body

```
{
  "id": 4198,
  "name": "Incident Type",
  "pluralName": "Incident Types",
  "description": "",
  "monogram": "IT",
  "nameKey": "app:objectType:name:989fb792-4483-486d-a521-9c7ef22f906c",
  "descriptionKey": "app:objectType:description:709504f2-b2ca-4ea4-b9bd-d8afa7226b00",
  "pluralNameKey": "app:objectType:pluralName:d81eae66-8b4a-45b0-a3e1-91b541f44012",
  "monogramKey": "app:objectType:monogram:004b4b8e-d039-4481-af44-98ff2ea16294",
  "color": "#2f6ccb",
  "objectLifeCycleId": 4934,
  "externalRefId": "IncidentType",
  "created": "2017-11-29T21:23:16.057Z",
  "modified": "2019-01-25T16:24:40.300Z",
  "nextElement": 34,
  "org": 46,
  "assessment": false,
  "anchor": null,
  "anchorRelationship": null,
  "dataDefinitionId": null
}
```

Success Response

200 OK

POST /object/objectType

Creates a new object type.

Curl Request

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'Authorization: bearer'
```

Parameters

Name	Parameter Type	Data Type	Description	Required
name	body	string	The name of the object type.	Yes
monogram	body	string	The one to three letter monogram of the object type.	Yes

Name	Parameter Type	Data Type	Description	Required
color	body	string	The color of the object type monogram.	No
description	body	string	The description of the object type.	No
pluralName	body	string	The plural name of the object type.	No
externalRefId	body	string	The external reference ID of the object type.	No
assessment	body	boolean	If true, creates an assessment object type.	No

Example Body Parameter

```
{  
  "name": "string",  
  "monogram": "string",  
  "color": "string",  
  "description": "string",  
  "pluralName": "string",  
  "externalRefId": "string",  
  "assessment": false  
}
```

Example Response

```
{  
  "id": 15739  
}
```

Success Response

200 OK

PUT /object/objectType/{id}

Updates an existing object type.

Curl Request

```
curl -X PUT --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'Authorization: bearer Y
```

Parameters

Name	Parameter Type	Data Type	Description	Required
id	path	double	The internal ID of the specific object type you want to modify.	Yes
externalRefId	path	string	The external reference ID of the object type you want to modify.	No
name	body	string	The name of the object type.	No
monogram	body	string	The one to three letter monogram of the object type.	No
color	body	string	The color of the object type monogram.	No
description	body	string	The description of the object type.	No
pluralName	body	string	The plural name of the object type.	No
externalRefId	body	string	The external reference ID of the object type.	No
assessment	body	boolean	If true, creates an assessment object type.	No

Example Body Parameter

```
{  
  "name": "string",  
  "monogram": "string",  
  "color": "string",  
  "description": "string",  
  "pluralName": "string",  
  "externalRefId": "string",  
  "assessment": false  
}
```

Success Response

204 No Content

DELETE /object/objectType/{id}

Deletes an object type.

Curl Request

```
curl -X DELETE --header 'Accept: application/json' --header 'Authorization: bearer YOUR_API_KEY' 'https://YOUR_ENVIRON'
```

Parameters

Name	Parameter Type	Data Type	Description	Required
id	path	double	The internal ID of the specific object type you want to delete.	Yes

Success Response

204 No Content