

## **Retrieve User ID**

Last Modified on 08/23/2022 12:28 am EDT

Get user id often utilized for multi-factor authentication (MFA) user reset

## To retrieve a user ID:

1. Click the  $\bigcirc$  icon in the top bar > Swagger Docs in the Tools section.

Admin Overview 🗸								
	People				Application Management			
	Ω	203	<b>a</b> =				八	
	Users	User Groups	Roles		Org Manager	Applications		
	Tools				Communications			
	?	⊥			(	D	(	
	Swagger Docs	Data Import	Logo Upload		Email Settings		Languages	
					$\sim$		×	
	Data Audit Trail	User Audit Trail	Data Audit Archive Export		Email Templates	Portal Settings		
						, or the octaining of		
	<b>F</b>							
	Image Upload							

- 2. Click on any of the topics to open the API in a new browser tab.
- 3. From the **user** section, click **Get /user/users** to open the parameters.
- 4. In the search field, input *the* **user's email address.**

user			Show/Hide Li	ist Operations Expand Operations
GET /USer/	retrieve a set of users by id			
Response Clas OK Model Exampl				
{ "data": [ {     "id": @     "first"     "email"     "superA     "isActi				Î
Response Cont	ent Type application/json 🗸			
Parameters Parameter	Value	Description	Parameter Type	Data Turco
search	sarah.sing@resolver.com	Description	query	string
ids			query	string
Try it out!	<u>de Response</u>			

- 5. Click Try it out!
- 6. In the Response Body section, locate the User ID next to "id:"



Resp	ponse Body
{	
	"data": [
	<
	"id": 121,
	"first": "Sarah",
	"last": "Sing",
	"email": "sarah.Sing@outlook.com",
	"externalRefId": "e7488e9c-fa45-4246-a555-59bed3542555",
	"isAdmin": false,
	"superAdmin": false,
	"excludeFromMembershipCount": false,
	"orgLastLogin": null,
	"isActive": true
	}
	1
}	
,	