

Adding a Heatmap to a Dashboard

Last Modified on 01/29/2025 4:43 pm EST

Overview

Resolver's Dashboard Builder allows Administrators to build custom Dashboards using the Dashboard Data Sets published within their Org.

Before using the Dashboards feature, at least one Dashboard Data Set needs to be created and published.

Heatmaps are forms of visualization that represent data in colors, mapping ranges of values to ranges of colors. With careful selection of the color spectrum used in a heatmap, higher data values may appear hot and lower values appear cold.



Warning:

All changes or edits made to a Chart are globally applied across all instances of the Chart unless you duplicate the Chart and apply changes or edits to the duplicated Chart.

User Account Requirements

The user account you use to log into Resolver must have Administrator permission or Data Management advanced permissions to add a Heatmap to a Dashboard.

Related Information/Setup

Please follow the link below to create a new Dashboard Data Set:

Create a New Dashboard Data Set

After creating a Dashboard Data Set, the user must publish it before it can be used with the Dashboard Data Set Builder. Please follow the link below for more information on Publishing a Dashboard Data Set.

• Publishing/Unpublishing a Dashboard Data Set

Please follow the link below to add styles to your Chart:

• Adding Styles to a Chart

Please see the corresponding articles below for Information on Adding a Chart Type not covered by these instructions:

Resolver.

- Adding a Chart to a Dashboard
- Adding a Multi-Series Chart to a Dashboard
- Adding a Combo Chart to a Dashboard
- Adding a Table to a Dashboard
- Adding a Crosstab to a Dashboard
- Adding a Map to a Dashboard
- Adding a Box and Whiskers Chart to a Dashboard

Navigation

1. From the *Home* screen, click the **Administration** icon.

		Q Search	•••	\$ ® \$
Home	✓ My Tasks			
	My Tasks	¢ sort Q search		

Administration Icon

2. From the Administrator Settings menu, click the Admin Overview link.

me My Tasks Settings My Tasks \$ SORT Q, SEARCH \$ O User Management Q Branding	Settings 2g User Management 2 Branding			⊕ Q Search	••• 🔞 💿
My Tasks \$ SORT Q, SEARCH \$ voi the search \$ our voi the search	DRT Q SEARCH & User Management	Home	✓ My Tasks		Admin Overview
	Q Branding				Settings
Q Branding			My Tasks	\$ SORT Q SEARCH	20 User Management
					Branding
▲ D Languages	Eurgauges				Languages

Administrator Settings Menu

3. From the *Admin Overview* screen, click on the **Dashboard Builder** tile under the **Views** section.



			€ Q Search		•	••	Ę) () 0
Admin 0	Overview	~		 					
	Data Model			Views					
	Object Types		Object Type Groups	Configurable Forms		Data Visualizations			
	Fields	Assessments	Data Definitions	Dashboard Data Sets	Dashboard Builder	<u> </u>			
	۲ Playbooks Automation								

Dashboard Builder Tile

4. From the *Dashboard Builder* screen, click on a **Dashboard Name**.

	(Q		000	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Advanced Reporting	 Dashboard Data Sets 	Dashboard Builder		
Admin : Dashboard Bui l	lder		+ CRE	ATE DASHBOARD
🔲 🗴 Incident Ma	nagement - Tracking			

Dashboard Name

Adding a Heatmap to a Dashboard

1. From the *Canvas Layout* screen, click the **Add Chart** button.



	Q		0	··· 章 ③	<u>م</u> '
Advanced Reporting	➤ Dashboard Data Sets	Dashboard Builder			
Incident Manageme	ent - Tracking 🛛 🥒			PUBLISH	
	in 🖾 T 🗔 🤇) = - \$ - ₽ - 4 -			
				Data	»
			Filters	Search Data	Q
				☆ Incident Management (8208	84) >

Add a Chart Button

2. From the *Chart* screen, click on a **Dashboard Data Set** from the **Data Panel**.

Note:

Only published Dashboard Data Sets will appear on the Data Panel.

Pasalyan	()			~	6	^
,			- H C	Save C	hart X	
Data	Category Drop	column here Values Drop column here	Charts		~	-
Search Dataset Q			- dd	\checkmark	4 ⁴ 9 ⁴ 9	Â.
🖩 Incident Management (820	Untitled Chart Add Description		iii	<u>k</u>	1111	
			#	#	Ŧ	»
		lumn	0	H	* Tetal 0,000	с >
			General		3	
	Deer		Styles		2	>
	Drop column		Sorting)	>
	as "value"		Layers)	×.
			Format		3	×.
			Filters		3	× .
		Drop column as "category"				
						-

Dashboard Data Set

3. Click in the Chart Header (Untitled Chart) field and enter a Chart Name. The first 36



characters will show in the Chart Header.

Peeelver				6		\cap
		σ () Ε Σ Ξ		Save 0	hart 💙	×
< Data	Category	Drop column here Values Drop column here	Charts			~
DataSet Incident Managem.			- dd	\sim	100	1
Search Columns		f Incidents Triaged Per Month esents the number of incidents that are triaged each month			1	1
Categories	The data rep	evente nember of moderno that are theged each month	lii		1111	
${}_{ }\equiv$ # of Threats Range			++-	#	$\overline{\nabla}$	
≣ ≣ Asset Status Label					0,000	
≣ E Asset Status Value				H	0,000	
🗄 🐺 Case Costs Range						*
$\exists \equiv$ Case Duration (Days)		Drop column	General			>
🗄 🗮 Case Focus name			Styles			>
🗄 🖾 Case Focus Valid From			Sorting			>
${\ensuremath{:\!\!\!:}}:\!$	 column as "value" 		Layers			>
Values			Format			>
# # of Threats Value						
# Case Costs Value			Filters			7
🗄 # Case Duration (Days)						
# Case Focus workflow						
# Case Net Loss Value						
# Incident Average Dura		Drop column as "category"				
# Incident Cost Value						

Chart Header and Description

 Click in the Add Description field and enter a Chart Description. The Chart Description will appear on the Data Panel under the Chart section and pop up when hovering your cursor over a Chart Name.




Chart Description

5. Select the **Heatmap** tile from the **Charts** panel.



F	Decelver									6		
							S () S	ΣΞ			- X	:
	Data		Category	Drop column here	Values	Drop column here			Charts			~ >>
N	DataSet Incident Managem.											*
	Search Columns	Q		of Incidents Triaged Per Month					•	+++		
	Categories		The data rep	presents the number of incidents that are triaged each month						100	28	->
	∷ ≣ # of Threats Range	^								1697		1
	🗄 🚍 Asset Status Label										-	
	🗄 🚍 Asset Status Value	us Value										
	🗄 🚍 Case Costs Range											*
	III								General			<u>}</u>
	🗄 🖾 Case Focus Valid From				- d. l.				Styles			>
	🗄 🗮 Case Focus name	-	as		Bar Cha				Sorting			>
	Values		"value"		Dar Cria				Layers			>
	🗄 # # of Threats Value	-							Format			>
	# Case Costs Value								Filters			>
_	🗄 # Case Duration (Days)											
	🗄 # Case Focus id											
	# Case Focus workflow											
	🗄 # Case Net Loss Value	Value Drop column as "category"										
	🗄 # Incident Average Dur	.										

Heatmap Tile

- Dashboard Data Set Categories and Values will appear under the Dashboard Data Set Name on the Data Panel.
 - **Categories (Blue):** Categories are text and data columns used to group data (e.g., Sales Region, Department Name, Order Dates, etc.).
 - Values (Green): Values are numeric columns used to calculate data. Values can also be aggregated (e.g., Average Price Per Product, Total Sales Revenue, etc.).
- Categories and Values have a Data Type icon next to the Dashboard Data Set Name.
 Data Type icons indicate the Category and Value Data Type:
- Text: 🗐
- Numeric: #
- Date: 🗀
- Drag and drop a Category or Value from the Data Panel onto the Category section on the left side of the Chart or within the Category field.



F	Decelver			6		∩ ¹
,		Ø () € Σ =	0		• ×	:
	Data	Category Drop column here Values Drop column here Pivot Drop column here	Charts			~ »
N	🖩 DataSet Incident Managem	III Incident Category La			_	•
	Search Columns Q	Number of incidents Triaged Per Month The data reviewents the number of incidents that are triaged each month	•	H		
	Categories :: = Country Label			100	249	J 💾 .
	🗄 🗏 Country Label			1000	1	
	≣ E Country Value					
	II		H			¥ I
	🗄 🐺 Incident Average Dur		General			>
	E Incident Category Label		Styles			,
	Incident Category Val	Drop				
	🗄 🐺 Incident Cost Range	column as	Sorting			<u></u>
	🗄 🗏 Incident Count Range 🚽	" "category" Heatmap Chart	Filters			>
	Values					
	# Incident Count Value	•				
_	🗄 # Incident Net Loss Val					
	🗄 # Incident Risk Value					
	# Incident Type id					
	# Incident Type workflo					
	# Investigation Time (H					
	# Location Risk Value	Drop column as "pivot"				
	# Location id					
	# # Location workflowSta				_	- 11

Drag and Drop a Category

9. The **Category** data will populate the **Chart**. Data will populate the Chart after adding a Category or Value that has data to the Chart.

F	Decelver				6		<u> </u>
			Ø () Ξ Σ =		Save Char	t 👻 >	
4						_	~ 15
-	Data		Category 🗄 🗐 Incident Category 🕴 Values Drop column here Pivot Drop column here	Charts			~ >>
N	DataSet Incident Managem.						1
	Search Columns	Q	Number of Incidents Triaged Per Month The data represents the number of incidents that are triaged each month	•	+ 		
	Categories		The data represents the number of incidents that are thaged each month		100	245	->
	:: Country Label						1
	🗄 🐺 Country Label		3 - 10 10 - 17 17 - 23 23 - 30 30 - 37		1965	-	
	🗄 🐺 Country Value						
	🗄 🐺 Country Value						-
	∷ ≣ Incident Average Dur		General Se	General			>
	Incident Category La			Styles			<u> </u>
	≣ ≣ Incident Category Val		Property I				<u></u>
	🗄 🚍 Incident Cost Range			Sorting			>
	🗄 🗏 Incident Count Range	-	Person Inc	Filters			>
	Values		Informatio_				
	🗄 # Incident Count Value	*					
_	🗄 # Incident Net Loss Val		Executive				
	🗄 # Incident Risk Value						
	🗄 # Incident Type id		Emergency				
	🗄 # Incident Type workflo		Linear De				
	🗄 # Investigation Time (H		Human Re				
	🗄 # Location Risk Value						
	# Location id		A Value column could be added to this chart.				
	# Location workflowSta	Ŧ	V A Value column could be added to this chart.				



- 10. **(Optional)** Add multiple Categories or Values to the **Category** field to add multiple dimensions.
- 11. (Optional) Drag and drop a Category or Value from the Data Panel onto the Values area on the left of the Chart or within the Values field. Data entered in the Values field is used as the Heatmap measure and is aggregated as needed.



Γ	Decelver			6		\cap
			0	Save Chart	- >	<
-					_	- 54
-	Data	Category 🗄 🗐 Incident Categor 🕴 Values Drop column here Pivot Drop column here	Charts			~ »
N	🖩 DataSet Incident Managem		•	H		
	Search Columns Q	Number of Incidents Triaged Per Mouth The data represents the number of incidents dat are triaged each month		111		
	Categories	The data represents the number of incidents mat are thaged each month		8777	28	->
	a = resolver incident cid					-
	🗄 🗏 Screening Priority Ra	10 10 10 10 10 10 20 20 00 00 00 00 00 00 00 00 00 00 00	12	1000	-	
	🗄 🗏 Security Risk Rating	En la incluence rype to		_		
	🗄 🗏 Situational Threat Ty					-
ľ	🗄 📰 Situational Threat Ty	mer unity	eneral			>
	🗄 🖾 Summary Date					-
	🗄 🚍 Tasks Open Range	Drog ^{ocut}	lyles			2
	🗄 🗏 Total Loss Amount R	colutar Drop column as "value"	orting			>
	🗄 🗂 Triage Date 🗸 🗸	19 Week Sec.	Iters			>
	Values					
	🗄 # Incident Count Value 🔺					
L	🗄 # Incident Net Loss Val	iona dia .				
	# Incident Risk Value					
	# Incident Type to	→ rson me				
	# # Incident Type workflo					
	# Investigation Time (H	Property L. Drop column as "pivot"				
	# Location Risk Value					
	# Location id					
	# # Location workflowSta	A Value column could be added to this chart.				

Values Field

- 12. **(Optional)** Add multiple Categories or Values to the **Columns** field to add multiple Columns to the Table.
- Drag and drop a Category or Value from the Data Panel onto the Pivot area on the left of the Chart or within the Pivot field. The Pivot field summarizes the Category or Value data.

F	Decelver				ŝ	0	∩ [*]
ľ			Ø () 7 Σ Ξ	0	Save Char	- ×	
4							
	Data		Category 🗄 🖶 Incident Categor 👔 🧎 Values 🗒 # Incident Typ (SUM) 👔 🕴 Pivot Drop column here	Charts			~ »
N	🖩 DataSet Incident Managem		🗄 🗂 Triage Date				*
	Search Columns	Q	Number of Incidents Triaged Per Month The data represents the number of incidents that are triaged each month	•	H		
	Categories		The data represents the number of incluents die one diaged each nicht		100	255	
	II E Screening Priority Ra	1	51-304 304-557 557-811 811-1,054 1,064-		1937	-	
	I I I Security Risk Rating		1,317				
	🗄 ≣ Situational Threat Ty			H			v
ſ	🗄 🐺 Situational Threat Ty		Emergency	General			>
	🗄 🗂 Summary Date						
	🗄 🚍 Tasks Open Range		Drop Examples	Styles			·
	≣ ≣ Total Loss Amount R		anumn as	Sorting			>
	🗇 Triage Date		"category"erbil Se	Filters			>
	Values		H LRe_				
	# Incident Risk Value	1	Informatio				
5	# Incident Type id		Informatio				
	🗄 # Incident Type workflo		Person Inc.				
	🗄 # Investigation Time (H						
	# Location Risk Value		Property L. Drop column as "pivot"				
	# Location id		orop column as proc				
	# Location workflowSta						
	🗄 # Net Loss Value	-	Chart shows a maximum number of data points by default. To see more, go to General chart options and increase the Max Data Points to display.				

Pivot Field

14. The Categories, Values, and Pivot data will create the Heatmap in the Dashboard Canvas.



												Save Char	· · · ·	`
lata	Category 🗄 🗐 Incident Category I Values 🗒 # Incident Typ (SUM) I Pivot 🗒 🗇 Triage (Month, Year) I													~
DataSet Incident Managem													_	^
earch Columns Q	Number of Incidents Triaged Per Month The data represents the number of incidents that are triaged each month										•	H		
ategories	The data represents	the number of	r incidents that	are triaged ea	ich month							100	0.95	
E Country Label													-	1
E Country Label							13 - 62	62 - 111 111	- 161 161 - 21	0 210-259		1655	- A.	
E Country Value											HIRI			
E Country Value												-		Ŧ
Incident Average Dur	General Se										General			>
E Incident Category La	Property I_										Styles			>
≣ Incident Category Val														-
≣ Incident Cost Range	Person Inc										Sorting			2
🖶 Incident Count Range 🚽	Informatio										Filters			>
alues	Executive													
# Incident Count Value	Executive													
# Incident Net Loss Val	Human Re													
# Incident Risk Value	Emergency													
# Incident Type id	nergency	Apr 2022	Jun 2022	Jul 2022	4	Sep 2022	Oct 2022	No. 0000	D 00000	Jan 2023				
# Incident Type workflo		Apr 2022	Jun 2022	Jul 2022	Aug 2022	5ep 2022	Uct 2022	Nov 2022	Dec 2022	Jan 2023				
# Investigation Time (H														
# Location Risk Value														
# Location id	Chart shows a m													

Moving Column/Row Order

15. Click the **Save Chart** button to save your changes.