

## Adding a Box and Whiskers Chart to a Dashboard

Last Modified on 01/29/2025 4:44 pm EST

# Overview

Resolver's Dashboard Builder allows Administrators to build custom Dashboards using the Dashboard Data Sets published within their Org.

Before using the Dashboards feature, at least one Dashboard Data Set needs to be created and published.

Box and Whisker Charts use a box to represent the values that fall in the lower and upper quartiles and two lines (whiskers) coming off the box that represent the outlining values.

Warning:

All changes or edits made to a Chart are globally applied across all instances of the Chart unless you duplicate the Chart and apply changes or edits to the duplicated Chart.

### **User Account Requirements**

The user account you use to log into Resolver must have Administrator permission to add a Box and Whiskers Chart to a Dashboard.

### **Related Information/Setup**

Please follow the link below to create a new Dashboard Data Set:

Create a New Dashboard Data Set

After creating a Dashboard Data Set, the user must publish it before it can be used with the Dashboard Data Set Builder. Please follow the link below for more information on Publishing a Dashboard Data Set.

• Publishing/Unpublishing a Dashboard Data Set

Please follow the link below to add styles to your Chart:

• Adding Styles to a Chart

Please see the corresponding articles below for Information on Adding a Chart Type not covered by these instructions.

# Resolver.

- Adding a Chart to a Dashboard
- Adding a Multi-Series Chart to a Dashboard
- Adding a Combo Chart to a Dashboard
- Adding a Table to a Dashboard
- Adding a Crosstab to a Dashboard
- Adding a Heatmap to a Dashboard

### **Navigation**

1. From the *Home* screen, click the **Administration** icon.

			•••	\$ ®
Home	✓ My Tasks			
	My Tasks	¢ SORT Q SEARCH		

Administration Icon

2. From the Administrator Settings menu, click the Admin Overview link.

	(	Q Search	•••	<b>છ</b> 💿 😫
Home	✓ My Tasks			Admin Overview
				Settings
	My Tasks	\$ SORT Q SEARCH		Se User Management
				Branding
				Languages

Administrator Settings Menu

3. From the *Admin Overview* screen, click on the **Dashboard Builder** tile under the **Views** section.



			€ Q Search		•	••	63	3 (?	Do
Admin 0	Overview	~		 					
	Data Model			Views					
	Object Types	3	Object Type Groups	Configurable Forms		Data Visualizations			
	:= Fields	Assessments	Data Definitions	Dashboard Data Sets	Dashboard Builder	<u>2</u>			
	Playbooks Automatie								

Dashboard Builder Tile

4. From the *Dashboard Builder* screen, click on a **Dashboard Name**.

	(Q		000	\$ \$ \$
Advanced Reporting ~	Dashboard Data Sets	Dashboard Builder		
Admin <b>: Dashboard Build</b> e	er		+ CRE	ATE DASHBOARD
📕 🗶 Incident Mana	gement - Tracking			

Dashboard Name

### Adding a Box and Whiskers Chart to a Dashboard

1. From the *Canvas Layout* screen, click the **Add Chart** button.



	(Q		0	··· 章 ②	<u>م</u> '
Advanced Reporting	➤ Dashboard Data Sets	Dashboard Builder			
Incident Manageme	ent - Tracking 🛛 🥒			PUBLISH	
	in 🖾 T 🗔 🤇	) = - \$ - ₽ - 4 -			
				Data	»
			Filters	Search Data	Q
				☆ Incident Management (8208	84) >

Add a Chart Button

2. From the *Chart* screen, click on a **Dashboard Data Set** from the **Data Panel**.

#### Note:

Only published Dashboard Data Sets will appear on the Data Panel.

Pasalyan	()			6	6	<u>^</u>
,			H C	Save C	hart X	
Data	Category Drop	column here Values Drop column here	Charts			-
Search Dataset Q			- III	$\checkmark$		î.
🖩 Incident Management (820	Untitled Chart Add Description		iii	<u>k</u>	1111	
			#	₩	Ŧ	»
			0	H	0,000	a >
			General			>
	Deer		Styles			>
	Drop column	ll.l	Sorting			>
	as "value"	Bar Chart	Layers			>
			Format			×
			Filters			>
		Drop column as "category"				
						-

Dashboard Data Set

3. Click in the Chart Header (Untitled Chart) field and enter a Chart Name. The first 36




characters will show in the Chart Header.

Image: Category Drop column here Values Drop column here Charts   Image: Category Number of Incidents Triaged Per Month The data represents the number of incidents that are triaged each month Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Columns Image: Category Image: Category Image: Category Image: Category   Image: Search Column Cotypo: Date Image: Category Image: Category Image: Category   Image: Image: Category Image: Category Image: Category Image: Category   Image: Image: Image: Category	Decelver				6		$\cap$
BotaSet Incident Managem.   Bearch Columns   Categories   Walkes   Drop column here   Values   Drop column here   Walkes   Drop column here   Walkes   Drop column here   Walkes   Drop column here   Walkes   Drop column here   Drop column here   Drop column here   Walkes   Drop column here			Ξ 2 Β 0 €		Save C	hart >	<
Search Columns       Number of Incidents Triaged Per Month The data represents the number of incidents that are triaged each month         Els # of Threats Range       III       IIII       IIII       IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	< Data	Category	Drop column here Values Drop column here	Charts			~
Base Costs Value   If if of Threats Value   If if of Threats Value   If if a conserved   If if in the data nerved porture	🖬 DataSet Incident Managem			- dd	$\sim$	and a	14
Categories       IIII       ICA       IIIII       ICA       IIIIII       ICA       IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Search Columns					1	1
III III Case Costs Range   III Case Costs Range   III Case Costs Range   III Case Costs Range   III Case Focus Valid From   III Case Focus Valid From   III Case Focus Value   III Case Focus Value   III A case Costs Value   III III Case Focus Value   IIII III Case Focus Value   Drop column as "category"	Categories	The data repre-		10		1111	
I ■ Case Costs Range I ■ Case Costs Range I ■ Case Costs Range I ■ Case Focus workflow. I ■ f of Threats Value I ■ f case Doration (Days). I ■ f Case Focus workflow. Format Case Value Format Case V	$\parallel \equiv$ # of Threats Range	-		#	#	$\overline{\nabla}$	
I Case Costs Range I Case Costs Range I Case Focus vanife I Case Focus vanife<	🗄 🚍 Asset Status Label					+ 1mi	
III IS Case Duration (Days)       General       Soles         III IS Case Focus Vailed From as Value*       Drop column as Value*       Soles       Soles         Values       III IF of Threats Value       Format       Layers         III IF of Case Focus Vaile       Format       Format       Format         III IF acse Kots Value       Format       Format       Format         III IF acse Focus Vaile       Format       Format       Format         III IF acse Kots Value       Format Value       Format       Format         IIII IF acse Kots Value       Format Value       Format Value       Format         IIII IF acse Kots Value       Format Value       Format Value       Format Value         IIIII IF acse Kots Value       Format Value       Format Value       Format Value         IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	🗄 🚍 Asset Status Value				111	0,000	
III © Case Duration (Lays) _       IIII Org       Styles       Styles         III © Case Focus Value       IIII # # of Threats Value       IIIII # # of Threats Value       Styles       Styles         III # # of Threats Value       IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	🗄 🗮 Case Costs Range						•
III □ Case Focus Valle From III III ⊂ Case Focus workflow.       Drop column as 'value'       Sorting       Sorting       Iupers       Iupers </th <th><math>{\ensuremath{:\! }} \equiv</math> Case Duration (Days)</th> <th></th> <th></th> <th>General</th> <th></th> <th></th> <th>&gt;</th>	${\ensuremath{:\! }} \equiv$ Case Duration (Days)			General			>
B Case Focus workflow.     column as 'value'     Bar Chart     Layers     >       # # of Threats Value     Format     Format     >       # # case Costs Value     Filters     >       # # Case Focus workflow.     Filters     >	🗄 🚍 Case Focus name			Styles			>
Bar Chart     Layers       Values     as 'value'     Bar Chart     Layers       # # of Threats Value     *     Format     *       # # for Threats Value     *     Format     *       # # case Costs Value     *     Format     *       # # case Focus workflow.     *     *     *       # # case Focus workflow.     *     *     *       # # case Focus workflow.     *     *     *       # # case Net Loss Value     *     *     *       # # incident Average Dura     *     *     *	🗄 🖾 Case Focus Valid From			Sorting			>
Values     Format       # # of Threats Value     Format       # # case Costs Value     Filters       # # Case Focus ind     Filters       # # Case Focus Notflow	${\mathbb H} \equiv$ Case Focus workflow		Bar Chart	Lavers			,
# # Case Costs Value     Filters       # # Case Duration (Days)     #       # # Case Duration (Days)     #       # # Case Focus workflow.     #       # # Case Net Loss Value     Drop column as "category"       # # Incident Average Dura.     Drop column as "category"	Values						,
# # Case Costs Value       # # Case Duration (Days)	∷ # # of Threats Value	<b>^</b>		Filters			
# # Case Focus id     # # Case Focus workflow_     # Case Net Coss Value     # Incident Average Dura_     # Incident Cost Value	∷ # Case Costs Value			riiters			1
# Case Focus workflow_     # Case Net Loss Value     Incident Average Dura_     # Incident Qost Value	🗄 # Case Duration (Days)						
# # Case Net Loss Value     # Incident Average Dura_     # Incident Cost Value							
# # Incident Average Dura     Drop column as "category"       # # Incident Cost Value	# Case Focus workflow						
# # Indextractory Value							
# # Incident Cost Value	# Incident Average Dura		Drop column as "category"				
	# Incident Cost Value						

Chart Header and Description

 Click in the Add Description field and enter a Chart Description. The Chart Description will appear on the Data Panel under the Chart section and pop up when hovering your cursor over a Chart Name.



#### Chart Description

5. Select the **Box and Whiskers** tile from the **Charts** panel.



F	Decelver						-		ŝ		$\cap$
,						Ø () Ξ Σ	2 <b>=</b>			- >	<
	Data		Category	Drop column here	Values Drop column here			Charts			~ >>
N	🖩 DataSet Incident Managem										*
	Search Columns	Q		of Incidents Triaged Per Month presents the number of incidents that are triaged each month				•	ŦĦ		
	Categories		The data rep	oresents the number of incluents that are thaged each month					100	0.95	>
	🗄 🐺 # of Threats Range	^							they.	-	
	🗄 🚍 Asset Status Label								-det	- 444	
	🗄 🚍 Asset Status Value										
	🗄 🚍 Case Costs Range							_			Ŧ
	🗄 🚍 Case Duration (Days)				10			General			>
	🗄 🖾 Case Focus Valid From		column					Styles			>
	🗄 🗏 Case Focus name	-	as "value"		Bar Chart			Sorting			>
	Values							Layers			>
	🗄 # # of Threats Value	1						Format			>
	∺ # Case Costs Value							Citere.			
	🗄 # Case Duration (Days)							Filters			1
	🗄 # Case Focus id										
	# Case Focus workflow										
	🗄 # Case Net Loss Value			Drop c	olumn as "category"						
	🗄 # Incident Average Dur	+									

Heatmap Tile

- Dashboard Data Set Categories and Values will appear under the Dashboard Data Set Name on the Data Panel.
  - **Categories (Blue):** Categories are text and data columns used to group data (e.g., Sales Region, Department Name, Order Dates, etc.).
  - Values (Green): Values are numeric columns used to calculate data. Values can also be aggregated (e.g., Average Price Per Product, Total Sales Revenue, etc.).
- Categories and Values have a Data Type icon next to the Dashboard Data Set Name.
   Data Type icons indicate the Category and Value Data Type:
- Text: =
- Numeric: #
- Date: 📋
- Drag and drop a Category or Value from the Data Panel onto the Category section on the left side of the Chart or within the Category field.

Peoplyon			ŝ		
				• ×	
Data	Category Drop column here Values Drop column here Distribution Drop column here	Charts		~	
🖩 DataSet Incident Managem	E Incident Category La	#	#	$\overline{\nabla}$	^
Search Columns Q	Number of Incidents Imaged Per Month The day represents the number of incidents that are triaged each month		ŦĦ	-	
Categories					
II II Country Value			100	248	
🗄 🚍 Incident Average Dur					
Incident Category Label			1000		
🗧 🗄 🚍 Incident Category Val					- [
N II		General		>	
🗄 🚍 Incident Count Range	Drop	Styles			
🗄 🚍 Incident Net Loss Ra	as Druged Milling Chart	Styles			>
🗄 🗂 Incident Reported Da	as Box and Whisker Chart "value"	Filters		>	
Values					
🗄 # # of Threats Value 🔺					
# Case Costs Value					
# Case Duration (Days)					
# Case Focus id					
# Case Focus workflow					
# Case Net Loss Value	Drop column as "category"				
# # Incident Average Dur					
0					



#### Drag and Drop a Category

- 9. The **Category** data will not populate the Chart until a Value is added to the **Values** field.
- 10. Drag and drop a **Value** from the **Data Panel** onto the **Values** area on the left of the Chart or within the **Values** field.

Data   Category   Is based incident Managem.   Based incident Managem.   Based Columns   Categories   Is Country Value   Is fondent Category La.   Is fondent Risk Value   Is fondent Ris	a a a lu a r				Save Char		
Burdent Net Loss Val.   If incident Net	Data			Charts			~
tegories E country Value E country Value E country Value E incident Category Val E incident Risk Value E incident	DataSet Incident Managem	n		#	#	$\overline{\nabla}$	1
stepores Country Value Country Val	earch Columns	Q					l
© country Value       Image: Second Sec	tegories				111		
Incident Average Dur.       Incident Category Val.       In		*			100	2.55	ł
							1
E Incident Cost Range E Incident Cost Range E Incident Cost Range H Incident Risk Value If Inciden					1000		ł
			_ /		1		
Incident Cost Range     Styles	Incident Category Val			General			>
Incident Courk Range     Vralue     Vra	Incident Cost Range			Styles			>
	-						
				Filters			1
Incident Tiype kid       Incident Type kid       If incident Type workflo       If incident Type workflo       If incident Type kid       Drop column as "category"       Incident Type kid       Incident Type kid </td <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td>		1					
Incident Type Id # Incident Type workflo # Investigation Time (H # Location Risk Value A Value column is needed for this chart. # Location Risk Value	# Incident Net Loss Val	1					
# Incident Type workflo_     Drop column as "category"       # Investigation Time (H	# Incident Risk Value	1					
# Investigation Time (H) # Location Risk Value to Location Risk Value A Value column is needed for this chart.	Incident Type id						
# Location Risk Value # Location id A Value column is needed for this chart.	# Incident Type workflo		Drop column as "category"				
# Location id A Value column is needed for this chart.	# Investigation Time (H						
# Location id	# Location Risk Value						
	# Location id	-	A Value column is needed for this chart.				_

Values Field


11. (Optional) Drag and drop a Category or Value from the Data Panel onto the Distribution area on the left of the Chart or within the Distribution field. The Distribution field defines a mean when non-numeric Categories and Values are loaded in the Category and Values fields.

Decelver			6	6	
	🗢 () 🔁 Σ 🚍		Save Char	• • ×	
Data	Category 🗄 🗋 Triag (Month, Year) i Values 🗒 # Incident Type if routing Distribution Drop column here	Charts		~	-
🖩 DataSet Incident Managem				_	•
Search Columns Q	Number of Incidents Triaged Per Month The data represents the number of incidents that are triaged each month	•	+++		
Categories	The data represents the number of noticents that are thaged each month		877	0.65	
:: = Location name			Million at	-	
II E Location workflowSta	∏ ≣ F Net Loss Range		1955		
Net Loss Range     Observed Date/Time	45	H.			
Observed Date/Time     Observed Date/Time					× >>
Open Date/Time		General		>	_
		Styles		>	2
≣	Drop 🗊	Filters		>	
≣ E Overall Case Value_ R	column Drop column as "distribution" as "value"				1
Values					
# # of Threats Value					
# Case Costs Value					
🗄 # Case Duration (Days)	10				
# Case Focus id	5				
# Case Focus workflow					
∃ # Case Net Loss Value		!			
# Incident Average Dura	Drop column as "category"				
# Incident Cost Value	e.e. source outgory				
🗄 # Incident Count Value 🔹 🔻					_

#### Distribution Field

12. The Categories, Values, and Distribution (for non-numeric data) data will create the Box and Whiskers Chart in the Dashboard Canvas.





Box and Whiskers Chart

13. Click the **Save Chart** button to save your changes.