

Deactivating Data Retention Settings

Last Modified on 07/29/2024 4:49 pm EDT

Note:

If you want to take advantage of the Data Retention feature, Administrators must first contact Support to enable the feature.

Overview

If a user deactivates data retention settings on an object type, no fields, formulas, or properties for the object type will be retained. All data will be purged when an Object of this Type is deleted.

If a user reactivates the Retain Data for Analytics toggle switch, previously selected fields, formulas and properties will remain selected.

User Account Requirements

The user account used to log into Resolver must have Administrator permission to access the **Object Types** section.

Related Information/Setup

Please refer to the Enabling the Auto-Delete Function Using a Scheduled Trigger article, for more information on enabling the auto-delete function.

Please refer to the Disabling the Auto-Delete Function article, for more information on disabling the auto-delete function.

Navigation

1. From the *Home* screen, click on the **Administration** icon.

	Q Search	•••	\$ () \$
Home ~	My Tasks		
			l l



Administration Icon

2. From the **Administration Settings** dropdown menu, click the **Admin Overview** link.



Admin Overview Link

3. From the *Admin Overview* screen, click the **Object Type** tile under the **Data Model** section.

(-	Q Search			•	¢ ?	Ω
Admin Overview 🗸						
Data Model		Views				
Cbject Types	Object Type Groups	Configurable Forms		LIII Data Visualizations		
Fields	Data Definitions	Dashboard Data Sets	Dashboard Builder			

Object Type Tile

4. From the *Admin: Object Type* screen, enter an object type name in the **Search** field to narrow the search results.



		⊕ (Q Se	arch			•••	\$ O \$
Data Mode	el v	Object Types	Object Type Groups	Fields	Assessments	Data Definition	
Admin	:Object Typ	es				C	+ CREATE OBJECT TYPE
Q Activ	ity						٥
Act	Activity						
AT	<mark>Activity</mark> Type						
F	Finding Results or evidence from	a specific audit <mark>activ</mark>	νί <mark>τγ</mark>				
L	Log Single entry of related <mark>a</mark>	<mark>tivity</mark> to an Investiga	tion or Case, used for evid	entiary purpo	ses, including times	and costs.	
Т	Task Actionable record for ke	data objects (Incide	nt, Case, <mark>Activity</mark>) with us	er assignment	date tracking and	email notifications.	
						NIEW C	BJECT TYPE UNIVERSE

Search Field

5. Click on an **Object Type** link.

			⊕ (Q Se	arch				\$\$ @ L
Data Mod	el	~	Object Types	Object Type Groups	Fields	Assessments	Data Definition	
Admir	1:Object	Гуре	5				C	+ CREATE OBJECT TYPE
Q Activ	vity							0
Act	Activity							
AT	<mark>Activity</mark> Type							
F	Finding Results or eviden	ce from a	specific audit <mark>activ</mark>	ity				
L	Log Single entry of rel	lated <mark>activ</mark>	<mark>vity</mark> to an Investiga	ion or Case, used for evic	lentiary purpo	ses, including times	and costs.	
Т	Task Actionable record	l for key d	ata objects (Incide	nt, Case, <mark>Activity</mark>) with us	er assignment	, date tracking and	email notifications.	
							NIEW O	BJECT TYPE UNIVERSE

Object Type Link

6. From the *Admin: Edit Object Type* screen, the number of active data retention settings selected can be seen within the **Data Retention** tab.



		⊕ (Q	Search			•••	\$ \$ \$
Data Model	✓ Ob	ject Types	Object Type Groups	Fields	Assessments	Data Definition	
Admin:Edit Obj	ect T	ype					
Activity Type							1
AT							
Workflow Data Reten	tior (10/10)) Conca	tenations				
Workflow							
	w						

Data Retention Indicator

7. Click on the **Data Retention** tab.

		•••	\$ \$ \$				
)ata Model	~	Object Types	Object Type Groups	Fields	Assessments	Data Definition	
Admin:	Edit Objec	t Type					
Activity Ty	/pe						
AT							
Workflow	Data Retention	(10/10) Conc	atenations				
Workflo	w						
CONF	IGURE WORKFLOW						

Data Retention Tab

Deactivating Data Retention Settings

1. From the *Data Retention* tab, click the *Retain Data for Analytics* toggle switch.



	\oplus () Search				•••	\$ \$ \$
ata Model 🗸 🗸	Object Types	Object Type Groups	Fields	Assessments	Data Definition	ı	
Admin: Edit Obje	ct Type						
Activity Type							1
AT							
Workflow Data Retention	n (10/10) Cond	catenations					
Data Retention					[+ ADD DATA F	OR ANALYTICS
Retain Data for Anal Selected data allows	ytics you to keep data for r	eporting purposes.					
All of the fields that will be reta	ained.						
Object ID PROPERTY							\$\$
Workflow State PROPE	RTY						\$3
Created Date PROPERTY	(\$3
Activity Category FIEL	D						\$\$
Average Activity First	Response Time(li	n Minutes) (Formula					\$
Min Activity First Resp	onse Time(In Mir	nutes) FORMULA					\$

Retain Data for Analytics Toggle Switch

2. A **Confirmation** screen will appear, read through the warning and click the **Yes** button to deactivate retaining data for analytics. If a user deactivates data retention settings on an object type, no fields, formulas, or properties for the object type will be retained. All data will be purged when an Object of this Type is deleted.

		⊕ (0	Search				•••	\$ \$ \$	
Data Model	~	Object Types	Object Type Groups	Fields	Assessments	Data Definition	ı		
Admin: Edi	Admin:Edit Object Type								
Activity Type								1	
Turn Data Rete Turning this tog Settings for this V will be purged v want to proceed	ntion Off? Igle off will ren 6 Object Type. I when a Activity d?	nove all Data Retenti Moving forward, all c / Type is deleted. Do	on Jata you 15						
Retain D Selected	lata for Analyt data allows yo	x CANCEL YE	seporting purposes.			[+ ADD DATA	FOR ANALYTICS	
All of the fields the	at will be retai	ned.							
Object ID PR	ROPERTY							\$š	
Workflow Sta	ate proper	ТҮ						\$5	
Created Date	PROPERTY							\$3	
Activity Cate	gory FIELD							\$ 5	
Average Acti	vity First R	esponse Time(In	Minutes) Formula					\$	
Min Activity	First Respo	nse Time(In Min	utes) FORMULA					\$	



Confirmation Screen