

Version 24.3 Release (Dispatch)

Last Modified on 11/14/2024 3:19 pm ES7

Dispatch Feature

Allow Locations to Sync with Dispatch if the Latitude/Longitude Field has an Invalid Value

If a Location's latitude/longitude field values are invalid within Resolver Core, the system will automatically replace invalid values with 0,0, allowing the location to sync with dispatch.

Support for C-Cure 3.0

• This version of Core Dispatch fully supports the C-Cure 3.0 Connector.

Bug Fixes

Dispatch

- Closed Dispatch with an empty **Record Owner** field will now create an activity within Resolver Core with an empty **Activity Owner** field.
- RTAs will only apply to dispatches with the specified priority (e.g., high). RTA priorities are specified under the **By Priority** toggle switch on the *RTA* screen accessed through Settings.
- The **Dispatcher** field in the **Dispatches** table will be populated with the dispatcher's name when a Dispatch is created. The dispatcher's name is the name of the user who created the Dispatch.
- When dragging and dropping an officer onto a Dispatch record, the Dispatch will automatically start.
- The *Messages* pop-up will be closed on initial login to Dispatch to prevent the system from slowing down and freezing during login.
- An issue causing officer task actions not appearing in the Officer's panel view if the highlighted task list is collapsed has been addressed.

Officer Mobile

Resolved an issue where the total number of messages was displayed incorrectly.